



2010-11 FS Corn

Elite Hybrids

Base Genetics	Hybrid	Technology	Insect Resistance Management (IRM)	Specialty	Maturity		Planting			Growth						Positioning						Characteristics						
					RM - Days	RM - Flowering	Planting Pop >32,000	Emergence	Early Vigor	Stalk Strength	Root Strength	Staygreen	Drydown	Drought Tolerance	Test Weight	High Yield Environments	Timber-Clay Soils	Non-Irrigated Sands	Corn on Corn	No-Till	Northern Corn Leaf Blight	Grey Leafspot	Fungicide Response	Plant Height	Ear Height	Ear Type	Kernel Rows	Cob Color
42S	FS 42S30	RR2		DS	92	E	3	2	3	3	3	2	3	3	2	3	3	2	2	2	3	2	2	M	M	S-FI	16-18	RD
	FS 42SV1	VT2P	■	DS	92	E	3	2	3	3	3	2	3	3	2	3	3	2	2	2	3	2	2	M	M	S-FI	16-18	RD
	FS 42SV3	VT3	■	DS	92	E	3	2	3	3	3	2	3	3	2	3	3	2	2	2	3	2	2	M	M	S-FI	16-18	RD
46S	FS 46SX1	SSX	■	DS	96	E	3	2	2	3	3	3	3	3	3	3	3	2	2	2	2	1	3	M	M	S-FI	16-18	RD
49S	FS 49S30	RR2			99	M/L	3	2	2	3	3	2	3	3	3	3	3	2	2	1	2	1	3	M	M	S-FI	16-20	RD
	FS 49SV3	VT3	■		99	M/L	3	2	2	3	3	2	3	3	3	3	3	2	2	1	2	1	3	M	M	S-FI	16-20	RD
	FS 49SX1	SSX	■		99	M/L	3	2	2	3	3	2	3	3	3	3	3	2	2	1	2	1	3	M	M	S-FI	16-20	RD
52S	FS 52S30	RR2			102	M	3	2	2	3	3	3	1	3	3	3	3	2	2	3	2	2	2	MT	MH	S-FI	16-18	RD
	FS 52SV3	VT3	■		102	M	3	2	2	3	3	3	1	3	3	3	3	2	2	3	2	2	2	MT	MH	S-FI	16-18	RD
53S	FS 53S30	RR2		DS	103	E	3	2	2	3	3	2	3	3	3	3	3	2	2	2	2	2	2	M	M	S-FI	14-18	RD
54S	FS 54S30	RR2		DS	104	E/M	3	2	2	3	2	3	3	3	2	3	3	2	2	2	3	2	2	M	M-Lw	S-FI	16-18	RD
	FS 54SV3	VT3	■	DS	104	E/M	3	2	2	3	2	3	3	3	2	3	3	2	2	2	3	2	2	M	M-Lw	S-FI	16-18	RD
	FS 54SX1	SSX	■	DS	104	E/M	3	2	2	3	2	3	3	3	2	3	3	2	2	2	3	2	2	M	M-Lw	S-FI	16-18	RD
56S	FS 56SV3	VT3	■	DS HES	106	M	3	2	2	2	3	2	3	3	2	3	3	2	2	1	2	1	3	M	M	S-FI	16-20	PK
57S	FS 57S30	RR2		HES	107	M	3	2	2	2	3	3	3	3	3	3	3	2	2	2	2	1	3	M	M	S-FI	16-20	RD
	FS 57SV3	VT3	■	HES	107	M	3	2	2	2	3	3	3	3	3	3	3	2	2	2	2	1	3	M	M	S-FI	16-20	RD



2010-11 FS Corn

Elite Hybrids

Base Genetics	Hybrid	Technology	Insect Resistance Management (IRM)	Specialty	Maturity		Planting			Growth					Positioning					Characteristics								
					RM - Days	RM - Flowering	Planting Pop >32,000	Emergence	Early Vigor	Stalk Strength	Root Strength	Staygreen	Drydown	Drought Tolerance	Test Weight	High Yield Environments	Timber-Clay Soils	Non-Irrigated Sands	Corn on Corn	No-Till	Northern Corn Leaf Blight	Grey Leafspot	Fungicide Response	Plant Height	Ear Height	Ear Type	Kernel Rows	Cob Color
58A	FS 58A00	Conv		DS FG	108	M	3	2	2	2	3	2	3	2	3	3	2	2	1	1	2	2	2	MT	M	S-FI	16-18	PK
58S	FS 58SV3	VT3	■		108	M	3	2	2	2	3	2	3	3	3	3	3	2	1	3	1	3	MT	M	S-FI	16-20	RD	
	FS 58SX1	SSX	■		108	M	3	2	2	2	3	2	3	3	3	3	3	2	1	3	1	3	MT	M	S-FI	16-20	RD	
60M	FS 60M30	RR2			110	M	3	2	2	3	2	3	3	3	3	3	2	3	2	2	3	2	2	T	MH	S-FI	16-18	RD
	FS 60MV4	VT3P	■		110	M	3	2	2	3	2	3	3	3	3	3	2	3	2	2	3	2	2	T	MH	S-FI	16-18	RD
61B	FS 61B30	RR2			111	M	2	2	2	2	3	3	3	3	2	3	2	3	2	2	3	2	2	M	M	FI	16-18	PK
	FS 61BV3	VT3	■		111	M	2	2	2	2	3	3	3	3	2	3	2	3	2	2	3	2	2	M	M	FI	16-18	PK
	FS 61BX1	SSX	■		111	M	2	2	2	2	3	3	3	3	2	3	2	3	2	2	3	2	2	M	M	FI	16-18	PK
61C	FS 61C00	Conv		FG	111	M	3	1	2	2	3	2	3	2	3	3	2	2	1	1	2	2	2	MT	M	S-FI	14-16	RD
62J	FS 62JV3	VT3	■		112	E	3	2	2	3	3	3	3	3	3	3	2	3	2	2	2	2	M	MH	S-FI	14-16	RD	
	FS 62JX1	SSX	■		112	E	3	2	2	3	3	3	3	3	3	3	2	3	2	2	2	2	M	MH	S-FI	14-16	RD	
62L	FS 62L30	RR2		HFC	112	M	3	2	2	3	3	3	2	2	2	2	2	3	3	3	3	1	M	M	S-FI	16-18	RD	
63K	FS 63K21	CB/LL	■		113	E	2	2	2	3	3	2	2	2	3	2	3	3	3	2	3	3	1	M	MH	S-FI	16-18	RD
63M	FS 63M30	RR2			113	E	3	2	2	3	3	3	3	3	2	3	3	2	3	2	2	3	2	M	M	S-FI	16-18	RD
	FS 63MV4	VT3P	■		113	E	3	2	2	3	3	3	3	3	2	3	3	2	3	2	2	3	2	M	M	S-FI	16-18	RD
64J	FS 64JV3	VT3	■		114	M	3	3	3	3	3	3	2	3	2	3	2	3	3	3	3	3	1	M	M	S-FI	18-20	RD



2010-11 FS Corn

Elite Hybrids

Base Genetics	Hybrid	Technology	Insect Resistance Management (IRM)	Specialty	Maturity		Planting			Growth					Positioning					Characteristics									
					RM - Days	RM - Flowering	Planting Pop >32,000	Emergence	Early Vigor	Stalk Strength	Root Strength	Staygreen	Drydown	Drought Tolerance	Test Weight	High Yield Environments	Timber-Clay Soils	Non-Irrigated Sands	Corn on Corn	No-Till	Northern Corn Leaf Blight	Grey Leafspot	Fungicide Response	Plant Height	Ear Height	Ear Type	Kernel Rows	Cob Color	
65A	FS 65A00	Conv		DS FG	115	M	3	1	2	3	3	3	3	3	2	3	3	3	2	3	2	2	2	2	T	M	S-FI	16-18	RD
65B	FS 65B30	RR2		DS	115	E/M	2	2	2	3	3	3	3	3	2	3	2	3	2	2	3	2	2	M	M-Lw	S-FI	16-18	PK	
	FS 65BV1	VT2P	■	DS	115	E/M	2	2	2	3	3	3	3	3	2	3	2	3	2	2	3	2	2	M	M-Lw	S-FI	16-18	PK	
	FS 65BV3	VT3	■	DS	115	E/M	2	2	2	3	3	3	3	3	2	3	2	3	2	2	3	2	2	M	M-Lw	S-FI	16-18	PK	
65U	FS 65U30	GT		DS	115	M	3	2	2	3	3	3	2	3	2	3	3	3	3	3	3	3	2	2	MT	MH	S-FI	16-20	PK
	FS 65U21	CB/LL	■	DS	115	M	3	2	2	3	3	3	2	3	2	3	3	3	3	3	3	3	2	2	MT	MH	S-FI	16-20	PK
	FS 65U41	GT/CB/LL	■	DS	115	M	3	2	2	3	3	3	2	3	2	3	3	3	3	3	3	3	2	2	MT	MH	S-FI	16-20	PK
66S	FS 66S21	CB/LL	■	DS	116	M	3	2	2	3	3	3	2	3	3	3	3	3	3	3	3	3	2	2	MT	MH	S-FI	16-18	RD
	FS 66S41	GT/CB/LL	■	DS	116	M	3	2	2	3	3	3	2	3	3	3	3	3	3	3	3	3	2	2	MT	MH	S-FI	16-18	RD

LEGEND

Specialty

DS	FS DairySelect™ for superior silage quality
HFC	Processor Preferred acceptance for High Fermentable Corn
HES	Processor Preferred acceptance for High Extractable Starch
FG	Food Grade corn accepted by selected food processors
NDS	NutriDense enhanced hybrid for silage

Technology

RR2	Roundup Ready Corn 2 System
RR2/YGCB	Roundup Ready Corn 2 System with YieldGard Corn Borer
VT3	YieldGard VT Triple - Roundup Ready Corn 2 System with YieldGard VT Corn Rootworm & YieldGard Corn Borer
VT3P	Genuity VT Triple PRO - Roundup Ready Corn 2 System with dual mode-of-action above-ground insect protection and below-ground rootworm protection
VT/RR2	YieldGard VT Rootworm with Roundup Ready Corn 2
VT2P	Genuity VT Double PRO - Roundup Ready Corn 2 System with dual mode-of-action above-ground insect protection
SSX	Genuity SmartStax
GT	Agrisure GT herbicide tolerance
GT/CB/LL	Agrisure GT and LibertyLink herbicide resistance with Agrisure CB
CB/LL	LibertyLink herbicide resistance with Agrisure CB
3000GT	Agrisure GT and LibertyLink herbicide resistance with Agrisure CB/RW

Rating Scale

Above Average	3
Average	2
Below Average	1
Not Rated	N/R

Characteristics

Early	E
Late	L
Short	Sh
Tall	T
Low	Lw
High	H
Medium	M
Semi	S
Flex	FL
Fixed	FX
Pink	Pk
Red	Rd
White	W



Monsanto Company is a member of BIO's Excellence Through StewardshipSM Initiative. FS Seed products have been commercialized in compliance with the ETS and Monsanto Product Launch Stewardship policies, after meeting applicable regulatory requirements in key export markets with functioning regulatory systems. Any crop of material produced from this product can only be exported to, or used, processor or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Monsanto encourages growers to talk to their product or grain handler or purchaser to confirm their buying position for this product. Excellence Through StewardshipSM is a service mark of Biotechnology Industry Organization. B.t. products may not yet be registered in all states. Check with your FS Crop Specialist for the registration status in your state. For more information on your grain market options, go to the American Seed Trade Association's Web site at www.amseed.org, refer to the appropriate Technology Use Guide, or call your seed supplier.



2010-11 FS Corn

Elite Hybrids

Base Genetics	Hybrid	Technology	Insect Resistance Management (IRM)	Specialty	Maturity		Planting			Growth					Positioning					Characteristics								
					RM - Days	RM - Flowering	Planting Pop >32,000	Emergence	Early Vigor	Stalk Strength	Root Strength	Staygreen	Drydown	Drought Tolerance	Test Weight	High Yield Environments	Timber-Clay Soils	Non-Irrigated Sands	Corn on Corn	No-Till	Northern Corn Leaf Blight	Grey Leafspot	Fungicide Response	Plant Height	Ear Height	Ear Type	Kernel Rows	Cob Color
FS Corn NutriDense Grain																												
60B NDG	FS 60B30 NDG	RR2/NDG		NDG	110	M	2	2	2	2	3	1	3	2	2	3	2	1	2	2	2	2	2	M	M	S-FI	18-20	RD
	FS 60B4 NDG	VT3P/NDG	■	NDG	110	M	2	2	2	2	3	1	3	2	2	3	2	1	2	2	2	2	2	M	M	S-FI	18-20	RD
FS Corn NutriDense Silage																												
44J NDS	FS 44J30 NDS	RR2/NDS		NDS DS	94	M	3	3	3	2	2	2	2	2	2	3	2	1	2	2	2	2	M	M	S-FI	16-18	RD	
	FS 44J3 NDS	VT3/NDS	■	NDS DS	94	M	3	3	3	2	2	2	2	2	2	3	2	1	2	2	2	2	M	M	S-FI	16-18	RD	
55K NDS	FS 55KV2 NDS	VT/RR2/NDS	■	NDS DS	105	M	3	2	2	2	2	2	2	2	2	3	2	1	2	2	2	2	MT	MH	S-FI	16-18	RD	
59J NDS	FS 59J2 NDS	VT/RR2/NDS	■	NDS DS	109	M	3	2	3	2	2	2	2	2	2	3	2	1	2	2	2	2	MT	M	S-FI	16-18	RD	
60K NDS	FS 60K31 NDS	RR2/YGCB/NDS	■	NDS	110	L	3	3	2	1	2	2	2	2	2	3	2	1	1	2	2	2	M	M	S-FI	16-18	PK	
62K NDS	FS 62K30 NDS	RR2/NDS		NDS	112	L	3	3	2	1	2	2	2	2	2	3	2	1	1	2	2	2	MT	MH	S-FI	16-18	W	

LEGEND

Specialty

DS	FS DairySelect™ for superior silage quality
HFC	Processor Preferred acceptance for High Fermentable Corn
HES	Processor Preferred acceptance for High Extractable Starch
FG	Food Grade corn accepted by selected food processors
NDS	NutriDense enhanced hybrid for silage

Technology


RR2	Roundup Ready Corn 2 System
RR2/YGCB	Roundup Ready Corn 2 System with YieldGard Corn Borer
VT3	YieldGard VT Triple - Roundup Ready Corn 2 System with YieldGard VT Corn Rootworm & YieldGard Corn Borer
VT3P	Genuity VT Triple PRO - Roundup Ready Corn 2 System with dual mode-of-action above-ground insect protection and below-ground rootworm protection
VT/RR2	YieldGard VT Rootworm with Roundup Ready Corn 2
VT2P	Genuity VT Double PRO - Roundup Ready Corn 2 System with dual mode-of-action above-ground insect protection
SSX	Genuity SmartStax
GT	Agrisure GT herbicide tolerance
GT/CB/LL	Agrisure GT and LibertyLink herbicide resistance with Agrisure CB
CB/LL	LibertyLink herbicide resistance with Agrisure CB
3000GT	Agrisure GT and LibertyLink herbicide resistance with Agrisure CB/RW

Rating Scale

Above Average	3
Average	2
Below Average	1
Not Rated	N/R

Characteristics

Early	E
Late	L
Short	Sh
Tall	T
Low	Lw
High	H
Medium	M
Semi	S
Flex	FL
Fixed	FX
Pink	Pk
Red	Rd
White	W



Monsanto Company is a member of BIO's Excellence Through StewardshipSM Initiative. FS Seed products have been commercialized in compliance with the ETS and Monsanto Product Launch Stewardship policies, after meeting applicable regulatory requirements in key export markets with functioning regulatory systems. Any crop of material produced from this product can only be exported to, or used, processor or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Monsanto encourages growers to talk to their product or grain handler or purchaser to confirm their buying position for this product. Excellence Through StewardshipSM is a service mark of Biotechnology Industry Organization. B.I. products may not yet be registered in all states. Check with your FS Crop Specialist for the registration status in your state. For more information on your grain market options, go to the American Seed Trade Association's Web site at www.amseed.org, refer to the appropriate Technology Use Guide, or call your seed supplier.